

Roof Fan



Description


Order Number:	6995A9000
Brand Name:	SOLIFLEX
Colour:	RAL 7035
Housing Material:	Mild steel, powder coated
IP protection class to EN 60 529:	IP 54, Type 1, 12
Approvals:	CE

Technical Data

Air flow unimpeded IP 54:	1400 m ³ /h
Operating Temperature Range:	-10°C - 50°C
Static pressure:	660 Pa
Mounting:	top mounted
Dimensions A x B x C (D+E):	147 x 457 x 457 mm
Weight:	8.3 kg
Cut out dimensions:	291 x 291 mm
Voltage / Frequency:	400/460 V - 50/60 Hz 3~
Rated current:	0.58 / 0.80 A
Power consumption:	230 / 370 W
Degree of separation IP 54:	85% - DIN 24185
Filter class (ISO 16890):	Aluminium filter
Noise level:	82 dB(A)
Connection:	4 pole connector


Please click on the graphics to download.
 More CAD drawings can be found under [Product Download](#).
 > [Overview Product Group SOLIVENT PRO - Filter fans & exhaust filters](#)

Performance graph:



click image to enlarge

Cut out Dimensions:



click image to enlarge

Order Information

Taric code	84145915
GTIN (EAN)	5350604100893