

## Hose-proof protection hood



### Description

|  |   |
|--|---|
| <b>Order Number:</b>                     | 4000100020  |
| <b>Brand Name:</b>                       | SOLIFLEX  |
| <b>Housing Material:</b>                 | Stainless steel AISI 304 (V2A)  |
| <b>IP protection class to EN 60 529:</b> | IP 56 / Type 1,2,3,3X,3R,3RX,3S,3SX, 4,4X,5,12,12K,13<br>when installed according to instruction manual |
| <b>Note:</b>                             | Suitable for 150 x 150 mm filter fan / exhaust filter<br>With food safe gasket                          |
| <b>Approvals:</b>                        | CE, cULus, cURus  |
| <b>UL File Number:</b>                   | E498756   |

## Technical Data

|                                    |   |
|------------------------------------|---|
| <b>Mounting:</b>                   | Stainless steel support to apply between base and clips |
| <b>Dimensions A x B x C (D+E):</b> | 245.5 x 176 x 55 mm                                     |
| <b>Weight:</b>                     | 0.89 kg   |
| <b>Installation:</b>               | Mounting screws torque: 4.5 Nm / 40 Lb-In               |

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview Product Group SOLIVENT PRO - Filter fans & exhaust filters](#)



## Order Information

|                       |                   |
|-----------------------|-------------------|
| <b>Taric code</b>     | 73269098          |
| <b>GTIN (EAN)</b>     | 5350604100947     |
| <b>Box dimensions</b> | 190 x 280 x 65 mm |
| <b>Gross weight</b>   | 1.04 Kg           |