

SLIMLINE HEX air / water heat exchanger



Description

Order Number:	761205B101
Brand Name:	SLIMLINE HEX
Colour:	RAL 7035
Housing Material:	Mild steel, powder coated
IP protection class to EN 60 529:	IP 55
Approvals:	CE

Technical Data


Cooling capacity L35W10 (200 l/h):	12500 W (800 l/h)
Coolant:	Water, light oils or similar
Air flow volume (system / unimpeded):	2400 / 3760 m ³ /h
Operating Temperature Range:	1°C - 60°C
Mounting:	Wall mounted / recessed
Dimensions A x B x C (D+E):	1,650 x 600 x 378 (35 + 343) mm
Weight:	70 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Starting current:	2.9 / 2.2 A
Max. current:	1.3 / 1.8 A
Max. power:	290 / 410 W
Pressure water circuit:	10 bar
Water connection:	Rp 1/2" - inside thread
Fuse:	2 A (T)
Connection:	5 - pole terminal for signals 4 - pole terminal for power

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).


> [Overview Product Group SLIMLINE HEX - air/water heat exchangers](#)

Performance graph:



[click image to enlarge](#)

Cut out Dimensions:



[click image to enlarge](#)