

## Air / Water Heat Exchanger



### Description

<b>Order Number:</b>	2300010
<b>Brand Name:</b>	SLIMLINE HEX
<b>Colour:</b>	RAL 7035
<b>Housing Material:</b>	Mild steel, powder coated
<b>Ingress Protection:</b>	IP 55
<b>Approvals:</b>	CE, cURus

## Technical Data


<b>Cooling capacity L35W10 (200 l/h):</b>	350 W
<b>Coolant:</b>	Water, light oils or similar
<b>Operating Temperature Range:</b>	1°C - 65°C
<b>Air flow volume (system / unimpeded):</b>	74 / 215 m <sup>3</sup> /h @ 50 Hz 85 / 240 m <sup>3</sup> /h @ 60 Hz
<b>Mounting:</b>	Wall mounted / internal
<b>Dimensions A x B x C (D+E):</b>	303 x 153 x 84 mm
<b>Weight:</b>	3.2 kg
<b>Voltage / Frequency:</b>	230 V ~ 50/60 Hz
<b>Starting current:</b>	0.35 A
<b>Max. current:</b>	0.24 A
<b>Max. power:</b>	37 W
<b>Pressure water circuit:</b>	10 bar
<b>Water connection:</b>	Rp 1/4" - inside thread with 2 connectors for pipe internal diameter of 13mm
<b>Fuse:</b>	4 A (T)
<b>Connection:</b>	Terminal connections

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).


> [Overview Product Group SLIMLINE HEX - air/water heat exchangers](#)

**Performance graph:**




[click image to enlarge](#)

**Air flow:**



[click image to enlarge](#)

**Cut Out Dimension:**



[click image to enlarge](#)

## Order Information

<b>Stainless steel housing part no.</b>	2300012
<b>Box dimension</b>	408.6 x 169 x 120.5 mm
<b>Gross weight</b>	5 kg
<b>Taric code</b>	84158300