

Enclosure light 400 Lm



Description

Order Number:	400100
Brand Name:	stripLite
Colour:	Top cover transparent / body blue
Housing Material:	PC plastic
IP protection class to EN 60 529:	IP 20
Included:	Built-in On/Off switch, mounting accessories
Note:	class II Energy class G
Approvals:	CE, cURus

Accessories:



Female Connector



Male Connector



Power Cable Orange



Power Cable with Door Contact 3 m



Daisy Chain Cable Orange 0.5 m



Daisy Chain Cable Orange 1 m




DIN rail clip

Technical Data

Operating Temperature Range:	-30°C - 70°C UL max temp: 60°C
Mounting:	Magnets / Clips
Dimensions A x B x C (D+E):	357.4 x 32 x 35.5 mm
Voltage / Frequency:	24-265 V DC/AC ~ 0/50/60 Hz
Power consumption:	4 Watt
Luminosity:	400 Lm
Lifetime:	50.000 hrs. @ 20°C
Connection:	Connector system

Please click on the graphics to download.
More CAD drawings can be found under [Product Download](#).
> [Overview Product Group STRIPLITE - LED Enclosure Lights](#)

**Cut Out
Dimension:**



[click image to enlarge](#)

Order Information

Taric code

94054231
