

## Enclosure air conditioner for 19" rack




### Description

<b>Order Number:</b>	45340001
<b>Brand Name:</b>	19" RACK
<b>Color:</b>	RAL 7035
<b>Housing Material:</b>	Mild steel, powder coated
<b>Ingress protection to EN 60 529:</b>	IP 54
<b>Approvals:</b>	CE


## Technical data

<b>Cooling capacity 95F/95F:</b>	3170 BTU
<b>Cooling capacity 95F/122F:</b>	2170 BTU
<b>Compressor type:</b>	Reciprocating compressor
<b>Refrigerant / GWP:</b>	R134a / 1430
<b>Refrigerant charge:</b>	400 g / 14.1 oz
<b>High / low pressure:</b>	35 / 6 bar 508 / 88 psig
<b>Air volume flow (system / unimpeded):</b>	Ambient air circuit: 147 / 500 cfm Cabinet air circuit: 165 / 324 cfm
<b>Operating temperature range:</b>	68°F - 131°F
<b>Mounting:</b>	19" rack
<b>Dimension H x W x D:</b>	10.47 x 19.01 x 21.61 inch
<b>Weight:</b>	73 lbs.
<b>Voltage / Frequency:</b>	230 V ~ 50/60 Hz
<b>Current 95F95F:</b>	4.5 A @ 50 Hz 4.3 A @ 60 Hz
<b>Starting current:</b>	19.7 A
<b>Max. current:</b>	5.8 A
<b>Nominal power 95F95F:</b>	795 W @ 50 Hz 900 W @ 60 Hz
<b>Max. power:</b>	1,22 kW
<b>Fuse:</b>	6 A (T)
<b>Short-circuit current rating:</b>	5 kA
<b>Connection:</b>	Connection terminal block

**Performance graph:**



**Air flow:**



## Order Information

<b>Taric code</b>	84158200
<b>GTIN (EAN)</b>	5350604361300