

## Twin thermostat NONO





## Description

<b>Order Number:</b>	301220
<b>Brand Name:</b>	SOLIFLEX
<b>Color:</b>	Grey (RAL 7011)
<b>Housing Material:</b>	PC plastic
<b>Ingress protection to EN 60 529:</b>	IP 20
<b>Note:</b>	Hyst. $7\pm 3K$ / Sw.Pt.tol $\pm 4K$
<b>Approvals:</b>	CE, cURus
<b>UL File Number:</b>	E358385

## Technical data

<b>Operating temperature range:</b>	-40°F - +176°F
<b>Setting range:</b>	-10°C - 80°C
<b>Mounting:</b>	Clips for DIN rail 1.38 inch
<b>Dimension H x W x D:</b>	2.36 x 2.85 x 1.67 inch
<b>Weight:</b>	~3.89 oz.
<b>Voltage / Frequency:</b>	max. 250 V AC 16 A(res) / 2 A(ind) max. 72 V DC max. 30 W
<b>Lifetime:</b>	100,000 hrs.
<b>Connection:</b>	2-pole terminal (x2), clamping torque 0.5 Nm max. solid wire - AWG 14 max., stranded wire - AWG 16 max.

**Cut out  
Dimensions:**



## Order Information

<b>Zolltarifnummer</b>	90321080
<b>EAN Nummer</b>	5350604010277