

## Air to Water Heat Exchanger




### Description

|                            |                           |
|----------------------------|---------------------------|
| <b>Order Number:</b>       | 2300010                   |
| <b>Brand Name:</b>         | SLIMLINE HEX              |
| <b>Color:</b>              | RAL 7035                  |
| <b>Housing Material:</b>   | Mild steel, powder coated |
| <b>Ingress protection:</b> | IP 55                     |
| <b>Approvals:</b>          | CE                        |


## Technical data

|  |   |
|--|---|
| <b>Cooling capacity 95F/W50F (53 GPH):</b>   | 1090 BTU  |
| <b>Coolant:</b>                              | Water, light oils or similar  |
| <b>Operating temperature range:</b>          | 34°F ... +149°F   |
| <b>Air volume flow (system / unimpeded):</b> | 43 / 127 cfm @ 50 Hz<br>50 / 141 cfm @ 60 Hz                                      |
| <b>Mounting:</b>                             | Wall mounted / Internal   |
| <b>Dimension H x W x D:</b>                  | 11.93 x 6.02 x 3.31 in.   |
| <b>Weight:</b>                               | 7.1 lbs   |
| <b>Voltage / Frequency:</b>                  | 230 V ~ 50/60 Hz  |
| <b>Starting current:</b>                     | 0.35 A  |
| <b>Max. current:</b>                         | 0.24 A  |
| <b>Max. power:</b>                           | 37 W  |
| <b>Pressure water circuit:</b>               | 10 bar  |
| <b>Water connection:</b>                     | Rp 1/4" - inside thread with 2 connectors for pipe internal diameter of 0.39 inch |
| <b>Fuse:</b>                                 | 4 A (T)   |
| <b>Connection:</b>                           | Connection Terminals  |


**Performance graph:**



**Air flow:**



**Cut out dimensions:**



## Order Information

|   |                        |
|---|------------------------|
| <b>Stainless steel housing part no.</b> | 2300012                |
| <b>Verpackungsmaße</b>                  | 408.6 x 169 x 120.5 mm |
| <b>Bruttogewicht</b>                    | 5 kg                   |
| <b>Taric code</b>                       | 84158300               |
| <b>GTIN (EAN)</b>                       | 5350604210004          |