

Air to air heat exchanger



Description


Order Number:	580070001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection to EN 60 529:	IP 54 / NEMA 12
Approvals:	CE, cURus
UL File Number:	SA9672

Technical data


Heat exchanger performance:	4 W/F
Air volume flow (system / unimpeded):	Ambient air circuit: 45 / 177 cfm Cabinet air circuit: 51 / 177 cfm
Operating temperature range:	23°F - 131°F
Mounting:	Wall mounted
Dimension H x W x D:	20 x 7.7 x 6 inch
Weight:	16.5 lbs
Voltage / Frequency:	230 V ~ 50/60 Hz
UL Voltage / Frequency:	230 V ~ 60 Hz
Starting current:	1.3 A
Max. current:	0.6 A
Max. power:	65 W
Fuse:	1 A (T)
Connection:	8 - pin Connector

Performance graph:

T = Temperature difference between ambient and internal temperature
P = Heat exchanger performance



Air flow:



Cut out Dimensions:



Order Information

Stainless steel housing part no.	58007002
Verpackungsmaße	560 x 274 x 206 mm
Bruttogewicht	9.5 kg
Taric code	84158300
GTIN (EAN)	5350604200005