

## Air to Water Heat Exchanger




### Description

|   |                           |
|---|---------------------------|
| <b>Order Number:</b>                    | 2130000                   |
| <b>Brand Name:</b>                      | SLIMLINE HEX              |
| <b>Color:</b>                           | RAL 7035                  |
| <b>Housing Material:</b>                | Mild steel, powder coated |
| <b>Ingress protection to EN 60 529:</b> | IP 55                     |
| <b>Included:</b>                        | Mit Magnetventil          |
| <b>Note:</b>                            | Mit Magnetventil          |
| <b>Approvals:</b>                       | CE, cURus                 |


## Technical data

|  |   |
|--|---|
| <b>Cooling capacity 95F/W50F (53 GPH):</b>   | 10,750 BTU  |
| <b>Cooling capacity 95F/W50F (132 GPH):</b>  | 14,160 BTU  |
| <b>Refrigerant / GWP:</b>                    | Water, light oils or similar  |
| <b>Coolant:</b>                              | Water, light oils or similar  |
| <b>Air volume flow (system / unimpeded):</b> | 723 / 1340 m <sup>3</sup> /h  |
| <b>Operating temperature range:</b>          | +34°F - +162°F  |
| <b>Mounting:</b>                             | Wall mounted / internal   |
| <b>Dimension H x W x D:</b>                  | 37.4 x 15.7 x 7.1 inch  |
| <b>Weight:</b>                               | 37.5 lbs.   |
| <b>Voltage / Frequency:</b>                  | 230 V ~ 50/60 Hz  |
| <b>Starting current:</b>                     | 1.3 / 1.4 A   |
| <b>Max. current:</b>                         | 0.7 / 1.1 A   |
| <b>Max. power:</b>                           | 160 / 240 W   |
| <b>Pressure water circuit:</b>               | 10 bar  |
| <b>Water connection:</b>                     | Rp 1/4" - inside thread with 2 connectors<br>for pipe internal diameter of 0.39 in. |
| <b>Fuse:</b>                                 | 2 A (T)   |
| <b>Connection:</b>                           | 3 - pole terminal for alarms<br>4 - pole terminal for power                         |

**Air flow:**



**Cut out Dimensions:**



## Order Information

|   |          |
|---|----------|
| <b>Stainless steel housing part no.</b> | 2130012  |
| <b>Mit Magentventil Bestell Nr.</b>     | 2130000  |
| <b>Taric code</b>                       | 84158300 |