

Air to air heat exchanger



Description


Order Number:	580650001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection to EN 60 529:	IP 56
Approvals:	CE

Technical data


Heat exchanger performance:	35 W/°F
Air volume flow (system / unimpeded):	Ambient air circuit: 275 / 324 cfm Cabinet air circuit: 285 / 324 cfm
Operating temperature range:	-13°F - 149°F
Mounting:	Wall mounted
Dimension H x W x D:	36 x 18.x 6.8 inch
Weight:	55 lbs.
Voltage / Frequency:	230 V ~ 50/60 Hz
Rated current:	0.6 A / 0.8 A
Starting current:	5.4 A / 5.6 A
Max. power:	205 / 270 W
Fuse:	2.5 A (T)
Connection:	4 pole terminal block for electrical connection 5 pole terminal block for signals

Performance graph:


T = Temperature difference between ambient and internal temperature
P = Heat exchanger performance



Air flow:



Cut out Dimensions:



Order Information

Stainless steel housing part no.	58065002
Verpackungsmaße	965 x 543 x 215 mm
Bruttogewicht	29 kg
Taric code	84158300
GTIN (EAN)	5350604200128