

Exhaust filter for SF 4732




Description

Order Number:	4732902003
Brand Name:	SOLIVENT PRO
Color:	RAL 9005
Ingress protection to EN 60 529:	IP 54
UL Typ (UL 50E):	12, 3R
Approvals:	CE, cURus, cULus
UL File Number:	E498756


Technical data

Air flow unimpeded Type 12:	139 / 156 CFM
Operating temperature range:	-40°C - 60°C
Mounting:	Wall mounted
Dimension H x W x D:	12.74 x 12.74 x 1.71 inch
Weight:	2.21 lbs.
Cut out dimensions:	11.5 x 11.5 inch


Air flow:



Cooling capacity:



Cut out Dimensions:



Order Information

Order number	IP rating	UL Type	RAL colour	Flow type ¹⁾	Air flow (m ³ /h) ²⁾	Air flow with exhaust filter (m ³ /h)
4732902001	54	12 / 3R	RAL 7035	N/A	N/A	N/A
4732902003	54	12 / 3R	RAL 9005	N/A	N/A	N/A
4732903001	55	12 / 3R	RAL 7035	N/A	N/A	N/A
4732903003	55	12 / 3R	RAL 9005	N/A	N/A	N/A

¹⁾ B = Blowing - from ambient into the enclosure (standard version)
S = Suction - from enclosure to ambient (on request)

²⁾ unimpeded 50/60 Hz

Zolltarifnummer

84145915